	Ref #	Hits	Search Text	DBs
1	S282	5619	(redact\$3 filter\$3) WITH (channel) WITH (category type packet ID identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	S283	423	S282 AND ("725"/\$.ccls. "348"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	S284	277	S283 AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	S285	3028	(redact\$3 filter\$3) WITH ((channel station) NEAR5 (category type packet ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	S286	201	S285 AND ("725"/\$.ccls. "348"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	S287	128	S286 AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	S288	6	("5134486" "5654774" "6133910").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
8	S289	845	(determin\$5 detect\$3 identify judg\$3) NEAR4 (channel station) NEAR4 (PID or ((frame packet payload) NEAR2 (identif\$5 header)) or FID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	S290	12569	"hawkins.inv.and" "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	S291	12578	"hawkins.inv.and" "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	S292	6384	hawkins.inv. AND725/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	S293	4	hawkins.inv. AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	S294	441	((receiv\$3 reception) NEAR3 (plurality set multiple) NEAR2 (channels frequency)) WITH (stream MPEG transport)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	S295	451	((receiv\$3 reception) NEAR3 (plural\$3 set multiple) NEAR2 (channels frequency)) WITH (stream MPEG transport)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
15	S296	58	S295 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	S297	38	S296 AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	S298	4	"6560234".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	S299	464	725/37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	S300	268	(@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	S301	213	725/80.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	S302	81	S301 AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
22	S303	191	725/81.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	S304	67	S303 AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	S305	56	S304 NOT S302	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	S306	339	725/38.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	S307	184	S306 AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	S308	235	725/45.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	S309	128	S308 AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
29	S310	119	S309 NOT S307	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	S311	530	348/731.ccls. AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	S312	2	(portion packet)) WITH (type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	S313	128	brown-re\$.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	S314	16	("6124878").URPN.	USPAT
34	S315	30	<pre>(receive reception) NEAR2 (multiple many plural\$3 multiplex\$3) NEAR2 (channel station) NEAR2 (stream transport)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	S316	18	S315 AND ((@ad <= "20010524") or (@rlad <= "20010524"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB